



<https://www.biodiversitylibrary.org/>

**Zoologia danica, sev Animalium Daniae et Norvegiae  
rariorvm ac minvs notorvm descriptiones et historia**

Havniae, typis N. Mölleri aulae regiae typographi et filii, 1788-1806  
<https://www.biodiversitylibrary.org/bibliography/49477>

1: <https://www.biodiversitylibrary.org/item/104862>

Page(s): Text, Page 26

Holding Institution: University Library, University of Illinois Urbana  
Champaign

Sponsored by: University of Illinois Urbana-Champaign

Generated 27 November 2023 6:50 PM  
<https://www.biodiversitylibrary.org/pdf4/1644833i00104862.pdf>

This page intentionally left blank.

ZOOLOGIA DANICA  
SEV  
ANIMALIUM  
DANIAE ET NORVEGIAE  
RARIORVM AC MINVS NOTORVM  
DESCRIPTIONES ET HISTORIA.


---

VOLVMEN QVARTVM  
EXPLICATIONI ICONVM FASCICVLI QVARTI  
EJVSDEM OPERIS INSERVIENS.

A V C T O R E  
OTHONE FRIDERICO MÜLLER,  
REGI DANIAE A CONSILIIS CONFER. ACAD. SCIENT. ET CVR. BONON. HOLM. ET  
BOICAE, HAVN. NORV. BEROL. BERN. DANTISC. ET LOND. SC. SOCIET. LIT.  
SODALI ACAD. PARIS. CORRESP.

---

DESCRIPSERUNT ET TABVLAS DEDERVNT  
P. C. ABILDGAARD. M. VAHL.  
J. S. HOLTE N. J. RATHKE.



*O MARE, O LITTUS, verum secretumque  
C&g&e&i&or!*

---

H A V N I A E,

TYPIS AVLAE REGIAE TYPOGRAPHI N. CHRISTENSEN.

MDCCCVI.

## PLANARIA CONVOLUTA.

*PLANARIA ferruginea*, oculis nullis, obverse conica convoluta.

Corpus elongatum, superne ferrugineum, antice obtusum, postice acuminatum, longitudinaliter convolutum; subtus fulvum canaliculatum, antice ore cucullatum.

Ad Helgolandiam in oceano. P. C. Abildgaard.

Fig. 4. Planaria convoluta magnitudine naturali.

5. Magnitudine aucta a dorso.

6. A latere inferiori.

## DISTOMA ANGUILLÆ.

## DISTOMA CORPORE CLAVATO.

Corpus clavatum, fordide album, collo extensili apice incrassato, ore apicis laterali.

Pars inferior corporis latum crassum, poro ventrali tumido marginato.

Intestinum contortum viride in parte posteriori corporis.

In abdome Murænæ Anguillæ Helgolandiae beatus P. C. Abildgaard plus quam trecenta hujus animalis specimina invenit.

Fig. 7. Distoma Anguillæ magnitudine naturali.

8. Pars antica magnitudine aucta.

9. Pars postica — — —

10. Mortua intestino prærupto.

## T A B. CXLIII.

## ASCIDIA GELATINA.

ASCIDIA compressa, lœvis, alba, facculo pellucido, orificiis punctis luteis cinctis.

Ascidia gelatina. Zool. Dan. Prod. 2723.

Encyclopedie methodique. Pl. 63. fig. 10?



Zool. Dan. Tab. CXLII.