



<http://www.biodiversitylibrary.org>

**The Annals and magazine of natural history; zoology, botany, and geology  
being a continuation of the Annals combined with Loudon and  
Charlesworth's Magazine of Natural History.**

London, Taylor and Francis, Ltd.

<http://www.biodiversitylibrary.org/bibliography/15774>

**8th ser. v. 2 1908:** <http://www.biodiversitylibrary.org/item/85286>  
Page(s): Page 468

Contributed by: Smithsonian Institution Libraries  
Sponsored by: Smithsonian

Generated 6 April 2010 2:30 AM  
<http://www.biodiversitylibrary.org/pdf2/002765000085286>

This page intentionally left blank.

important article, as we believe it has probably been overlooked by many neuropterists, owing to its having appeared in a comparatively little-known journal and to the very brief manner in which it is mentioned in the 'Zoological Record.'

We are sure that all agricultural entomologists and others interested in galls will find Dr. Houard's work of the greatest value, and we hope it may soon be completed.

W. F. K.

### MISCELLANEOUS.

*Generic Names of Polychæt Worms that have been preoccupied and remain unreplaced.* By ROBERT T. LEIPER, M.B., F.Z.S., Helminthologist to the London School of Tropical Medicine.

Amæa, <i>Malmgren</i> , 1865.	Macrochæta, <i>Grube</i> , 1850.
Ancistria, <i>Quatrefages</i> , 1867.	Macrophyllum, <i>Schmarda</i> , 1861.
Archidice, <i>Kinberg</i> , 1865.	Mylitta, <i>Kinberg</i> , 1866.
Arenia, <i>Quatrefages</i> , 1867.	Nicon, <i>Kinberg</i> , 1865.
Bylgia, <i>Théel</i> , 1879.	Nerine, <i>Johnston</i> , 1838 ( <i>nec Nrina</i> ).
Cabira, <i>Webster</i> , 1879.	Oria, <i>Quatrefages</i> , 1867.
Carobia, <i>Ehlers</i> , 1904.	Pallasia, <i>Quatrefages</i> , 1848.
Castalia, <i>Savigny</i> , 1817 ( <i>nec Castalius</i> , 1816).	Parmenis, <i>Malmgren</i> , 1867 ( <i>nec Parmena</i> ).
Ceratocephala, <i>Kinberg</i> , 1867.	Peribæa, <i>Kinberg</i> , 1865.
Chrysothemis, <i>Kinberg</i> , 1866.	Pherusa, <i>Oken</i> , 1815.
Cirronereis, <i>Kinberg</i> , 1866.	Phronia, <i>Webster</i> , 1879.
Clymene, <i>Savigny</i> , 1817.	Polybostrichus, <i>Œrsted</i> , 1842.
Clymenia, <i>Œrsted</i> , 1844.	Polyodontes, <i>Renier</i> , 1817.
Clytia, <i>Grube</i> , 1855.	Potamis, <i>Ehlers</i> , 1888.
Dasymallus, <i>Grube</i> , 1844.	Praxilla, <i>Malmgren</i> , 1865.
Demonax, <i>Kinberg</i> , 1866.	Praxithea, <i>Malmgren</i> , 1867.
Dindymene, <i>Kinberg</i> , 1865.	Prionognathus, <i>Keferstein</i> , 1862.
Disoma, <i>Œrsted</i> , 1844.	Psamathe, <i>Johnston</i> , 1837.
Dujardinia, <i>Claparède</i> , 1865.	Schlegelia, <i>Wegenberg</i> , 1879.
Ephesia, <i>Rathke</i> , 1843.	Scione, <i>Malmgren</i> , 1865.
Eulepis, <i>Grube</i> , 1875.	Sige, <i>Malmgren</i> , 1865 ( <i>nec Siga</i> ).
Eumenia, <i>Œrsted</i> , 1844.	Siphostoma, <i>Otto</i> , 1820.
Eunice, <i>Cuvier</i> , 1817.	Sphærodorum, <i>Œrsted</i> , 1842 ( <i>nec Sphærodoris</i> , 1877).
Eupista, <i>M'Intosh</i> , 1885.	Spiroglypha, <i>Quatrefages</i> , 1865.
Evarne, <i>Malmgren</i> , 1865.	Thoë, <i>Kinberg</i> , 1865.
Gymnosoma, <i>Quatrefages</i> , 1865.	Triceratia, <i>Haswell</i> , 1882 ( <i>nec Triceratium</i> ).
Halimede, <i>Rathke</i> , 1843.	Trachelophyllum, <i>Levinsen</i> , 1883.
Idalia, <i>Quatrefages</i> , 1867.	Venusia, <i>Johnston</i> , 1865.
Leiocephalus, <i>Quatrefages</i> , 1867.	
Lophonota, <i>Costa</i> , 1841 ( <i>nec Lophonotus</i> ).	
Lycastis, <i>Savigny</i> , 1817 ( <i>nec Lycastes</i> ).	